


Odbočka Geberit PE 88,5°



Obrázek s příkladem

ÚČEL POUŽITÍ

- K odvodnění budov
- K odvodnění pozemků

VLASTNOSTI

- Odolný vůči UV

TECHNICKÉ ÚDAJE

Materiál

PE-HD

| Pol.č. | DN | d, ø mm | d1, ø mm | arc ° | H cm | X1 cm | X2 cm | X3 cm | K1 max. cm | K2 max. cm | K3 max. cm |
|--------------|---------|------------|-------------|----------|---------|----------|----------|----------|---------------|---------------|---------------|
| 379.158.16.1 | 30 | 32 | 32 | 88.5 | 8.5 | 5 | 3.5 | 3.5 | 2.5 | 1 | 1 |
| 360.158.16.1 | 40 / 30 | 40 | 32 | 88.5 | 13 | 7.5 | 5.5 | 5.5 | 5 | 2.5 | 2 |
| 360.159.16.1 | 40 | 40 | 40 | 88.5 | 13 | 7.5 | 5.5 | 5.5 | 4.5 | 2.5 | 2.5 |
| 361.159.16.1 | 50 / 40 | 50 | 40 | 88.5 | 15 | 9 | 6 | 6 | 6 | 2.5 | 3 |
| 361.162.16.1 | 50 | 50 | 50 | 88.5 | 15 | 9 | 6 | 6 | 5.5 | 2.5 | 2.5 |
| 363.162.16.1 | 56 / 50 | 56 | 50 | 88.5 | 17.5 | 10.5 | 7 | 7 | 7 | 3 | 3.5 |

| <i>Pol.č.</i> | <i>DN</i> | <i>d, ø</i> mm | <i>d1, ø</i> mm | <i>arc</i> ° | <i>H</i> cm | <i>X1</i> cm | <i>X2</i> cm | <i>X3</i> cm | <i>K1 max.</i> cm | <i>K2 max.</i> cm | <i>K3 max.</i> cm |
|---------------------|-----------|-------------------|--------------------|-----------------|----------------|-----------------|-----------------|-----------------|----------------------|----------------------|----------------------|
| 363.165.16.1 | 56 | 56 | 56 | 88.5 | 17.5 | 10.5 | 7 | 7 | 6.5 | 3 | 3 |
| 364.159.16.1 | 60 / 40 | 63 | 40 | 88.5 | 17.5 | 10.5 | 7 | 7 | 7 | 3 | 3 |
| 364.162.16.1 | 60 / 50 | 63 | 50 | 88.5 | 17.5 | 10.5 | 7 | 7 | 7 | 3 | 3.5 |
| 364.165.16.1 | 60 / 56 | 63 | 56 | 88.5 | 17.5 | 10.5 | 7 | 7 | 6.5 | 3 | 3 |
| 364.170.16.1 | 60 | 63 | 63 | 88.5 | 17.5 | 10.5 | 7 | 7 | 6 | 3 | 3 |
| 365.159.16.1 | 70 / 40 | 75 | 40 | 88.5 | 17.5 | 10.5 | 7 | 7 | 7.5 | 2.5 | 4 |
| 365.162.16.1 | 70 / 50 | 75 | 50 | 88.5 | 17.5 | 10.5 | 7 | 7 | 7 | 2.5 | 3.5 |
| 365.165.16.1 | 70 / 56 | 75 | 56 | 88.5 | 17.5 | 10.5 | 7 | 7 | 6.5 | 2.5 | 3 |
| 365.170.16.1 | 70 / 60 | 75 | 63 | 88.5 | 17.5 | 10.5 | 7 | 7 | 6 | 2.5 | 2.5 |
| 365.175.16.1 | 70 | 75 | 75 | 88.5 | 17.5 | 10.5 | 7 | 7 | 5.5 | 2.5 | 2.5 |
| 366.159.16.1 | 90 / 40 | 90 | 40 | 88.5 | 20 | 12 | 8 | 8 | 8.5 | 2.5 | 4.5 |
| 366.162.16.1 | 90 / 50 | 90 | 50 | 88.5 | 20 | 12 | 8 | 8 | 8.5 | 2.5 | 4.5 |
| 366.165.16.1 | 90 / 56 | 90 | 56 | 88.5 | 20 | 12 | 8 | 8 | 8 | 2.5 | 4 |

| <i>Pol.č.</i> | <i>DN</i> | <i>d, ø</i> mm | <i>d1, ø</i> mm | <i>arc</i> ° | <i>H</i> cm | <i>X1</i> cm | <i>X2</i> cm | <i>X3</i> cm | <i>K1 max.</i> cm | <i>K2 max.</i> cm | <i>K3 max.</i> cm |
|---------------------|-----------|-------------------|--------------------|-----------------|----------------|-----------------|-----------------|-----------------|----------------------|----------------------|----------------------|
| 366.170.16.1 | 90 / 60 | 90 | 63 | 88.5 | 20 | 12 | 8 | 8 | 7.5 | 2.5 | 3.5 |
| 366.175.16.1 | 90 / 70 | 90 | 75 | 88.5 | 20 | 12 | 8 | 8 | 7 | 2.5 | 3 |
| 366.180.16.1 | 90 | 90 | 90 | 88.5 | 20 | 12 | 8 | 8 | 6.5 | 2.5 | 2.5 |
| 367.159.16.1 | 100 / 40 | 110 | 40 | 88.5 | 22.5 | 13.5 | 9 | 9 | 10 | 2.5 | 6 |
| 367.162.16.1 | 100 / 50 | 110 | 50 | 88.5 | 22.5 | 13.5 | 9 | 9 | 9.5 | 2.5 | 5 |
| 367.165.16.1 | 100 / 56 | 110 | 56 | 88.5 | 22.5 | 13.5 | 9 | 9 | 9 | 2.5 | 4.5 |
| 367.170.16.1 | 100 / 60 | 110 | 63 | 88.5 | 22.5 | 13.5 | 9 | 9 | 9 | 2.5 | 4 |
| 367.175.16.1 | 100 / 70 | 110 | 75 | 88.5 | 22.5 | 13.5 | 9 | 9 | 8.5 | 2.5 | 3.5 |
| 367.180.16.1 | 100 / 90 | 110 | 90 | 88.5 | 22.5 | 13.5 | 9 | 9 | 7.5 | 2.5 | 3 |
| 367.185.16.1 | 100 | 110 | 110 | 88.5 | 22.5 | 13.5 | 9 | 9 | 6.5 | 2 | 2 |
| 368.162.16.1 | 125 / 50 | 125 | 50 | 88.5 | 25 | 15 | 10 | 10 | 11 | 2.5 | 6 |
| 368.165.16.1 | 125 / 56 | 125 | 56 | 88.5 | 25 | 15 | 10 | 10 | 10.5 | 2.5 | 5.5 |
| 368.170.16.1 | 125 / 60 | 125 | 63 | 88.5 | 25 | 15 | 10 | 10 | 10.5 | 2.5 | 5 |

| <i>Pol.č.</i> | <i>DN</i> | <i>d, ø</i> mm | <i>d1, ø</i> mm | <i>arc</i> ° | <i>H</i> cm | <i>X1</i> cm | <i>X2</i> cm | <i>X3</i> cm | <i>K1 max.</i> cm | <i>K2 max.</i> cm | <i>K3 max.</i> cm |
|-----------------------------|-----------|-------------------|--------------------|-----------------|----------------|-----------------|-----------------|-----------------|----------------------|----------------------|----------------------|
| 368.175.16.1 | 125 / 70 | 125 | 75 | 88.5 | 25 | 15 | 10 | 10 | 10 | 2.5 | 4.5 |
| 368.180.16.1 Nové | 125 / 90 | 125 | 90 | 88.5 | 25 | 15 | 10 | 10 | 9 | 2.5 | 4 |
| 368.185.16.1 | 125 / 100 | 125 | 110 | 88.5 | 25 | 15 | 10 | 10 | 8 | 2 | 3 |
| 368.189.16.1 | 125 | 125 | 125 | 88.5 | 25 | 15 | 10 | 10 | 7 | 2 | 2 |
| 369.175.16.1 | 150 / 70 | 160 | 75 | 88.5 | 35 | 21 | 14 | 14 | 15 | 4.5 | 8 |
| 369.185.16.1 | 150 / 100 | 160 | 110 | 88.5 | 35 | 21 | 14 | 14 | 13.5 | 4.5 | 6 |
| 369.189.16.1 | 150 / 125 | 160 | 125 | 88.5 | 35 | 21 | 14 | 14 | 12.5 | 4.5 | 5 |
| 369.195.16.1 | 150 | 160 | 160 | 88.5 | 35 | 21 | 14 | 14 | 10.5 | 3.5 | 3 |
| 370.180.16.1 | 200 / 90 | 200 | 90 | 88.5 | 36 | 18 | 18 | 18 | 0 | 3 | 0 |
| 370.185.16.1 | 200 / 100 | 200 | 110 | 88.5 | 36 | 18 | 18 | 18 | 0 | 3 | 0 |
| 370.189.16.1 | 200 / 125 | 200 | 125 | 88.5 | 36 | 18 | 18 | 18 | 0 | 3 | 0 |
| 370.195.16.1 | 200 / 150 | 200 | 160 | 88.5 | 36 | 18 | 18 | 18 | 0 | 2 | 0 |
| 370.196.16.1 | 200 | 200 | 200 | 88.5 | 40 | 20 | 20 | 20 | 0 | 0 | 0 |

| <i>Pol.č.</i> | <i>DN</i> | <i>d, ø</i> mm | <i>d1, ø</i> mm | <i>arc</i> ° | <i>H</i> cm | <i>x1</i> cm | <i>x2</i> cm | <i>x3</i> cm | <i>K1 max.</i> cm | <i>K2 max.</i> cm | <i>K3 max.</i> cm |
|---------------------|-----------|-------------------|--------------------|-----------------|----------------|-----------------|-----------------|-----------------|----------------------|----------------------|----------------------|
| 371.185.16.1 | 250 / 100 | 250 | 110 | 88.5 | 44 | 22 | 22 | 22 | 3.5 | 4 | 3.5 |
| 371.189.16.1 | 250 / 125 | 250 | 125 | 88.5 | 44 | 22 | 22 | 22 | 3 | 4 | 3 |
| 371.195.16.1 | 250 / 150 | 250 | 160 | 88.5 | 44 | 22 | 22 | 22 | 0 | 3.5 | 0 |
| 371.196.16.1 | 250 / 200 | 250 | 200 | 88.5 | 48 | 24 | 24 | 24 | 0 | 0 | 0 |
| 371.197.16.1 | 250 | 250 | 250 | 88.5 | 48 | 24 | 24 | 24 | 0 | 0 | 0 |
| 372.185.16.1 | 300 / 100 | 315 | 110 | 88.5 | 56 | 28 | 28 | 28 | 9.5 | 6 | 9.5 |
| 372.189.16.1 | 300 / 125 | 315 | 125 | 88.5 | 56 | 28 | 28 | 28 | 9 | 6 | 9 |
| 372.195.16.1 | 300 / 150 | 315 | 160 | 88.5 | 56 | 28 | 28 | 28 | 7 | 6 | 7 |
| 372.196.16.1 | 300 / 200 | 315 | 200 | 88.5 | 56 | 28 | 28 | 28 | 4.5 | 0 | 4.5 |
| 372.197.16.1 | 300 / 250 | 315 | 250 | 88.5 | 56 | 28 | 28 | 28 | 2 | 0 | 2 |
| 372.198.16.1 | 300 | 315 | 315 | 88.5 | 56 | 28 | 28 | 28 | 0 | 0 | 0 |

Nové zboží bude dostupné od 19.11.2025